

L Number	Hits	Search Text	DB	Time stamp
-	1	("20020010745").PN.	USPAT; US-PGPUB	2004/05/05 14:43
-	765	709/206.ccls. and @ad<19991209	USPAT; US-PGPUB	2004/05/05 15:14
-	2	((("5944787") or ("5937162"))).PN.	USPAT; US-PGPUB	2004/05/05 15:14
-	4	(709/206.ccls. and @ad<19991209) and ((undeliverable or bounce\$1) NEAR5 (email or "e-mail" or (electronic adj2 (mail or message))))	USPAT; US-PGPUB	2004/05/05 15:16
-	12	((undeliverable or bounce\$1) NEAR5 (email or "e-mail" or (electronic adj2 (mail or message)))) and @ad<19991209	USPAT; US-PGPUB	2004/05/05 15:29
-	8	((undeliverable or bounce\$1) NEAR5 (email or "e-mail" or (electronic adj2 (mail or message)))) and @ad<19991209) not ((709/206.ccls. and @ad<19991209) and ((undeliverable or bounce\$1) NEAR5 (email or "e-mail" or (electronic adj2 (mail or message))))	USPAT; US-PGPUB	2004/05/05 15:17
-	6	((undeliverable or bounce\$1) NEAR5 (email or "e-mail" or (electronic adj2 (mail or message)))) and @ad<19991209	EPO; JPO; DERWENT; IBM_TDB	2004/05/05 15:29
-	18	5944787.URPN.	USPAT	2004/05/06 08:37
-	7	("5508817" "5530739" "5613012" "5799285" "5801702" "5805719" "5805810").PN.	USPAT	2004/05/06 08:47
-	1176	(email or "e-mail" or (electronic adj2 mail)) SAME (bounc\$3 or undeliverable or fatal or error or failure or (user NEAR3 unknown)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:42
-	42	((email or "e-mail" or (electronic adj2 mail)) SAME (bounc\$3 or undeliverable or fatal or error or failure or (user NEAR3 unknown)) and @ad<19991209) and ((locator NEAR3 service) or whitepages or (postal NEAR3 address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:04
-	1	(email or "e-mail" or (electronic adj2 mail)) SAME (bounc\$3 or undeliverable or fatal or (user NEAR3 unknown)) and ((locator NEAR4 service) or whitepages or "411") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:45
-	970	(email or "e-mail" or (electronic adj2 mail)) and ((locator NEAR4 service) or whitepages or "411") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:45
-	67	(email or "e-mail" or (electronic adj2 mail)) SAME ((locator NEAR4 service) or whitepages or "411") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:57
-	6	709/206.ccls. and ((locator adj2 service) or whitepages or (directory adj2 assistance)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:04
-	14	709/206.ccls. and ((locator adj2 service) or (white adj2 page) or (directory adj2 assistance)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:04
-	8	(709/206.ccls. and ((locator adj2 service) or (white adj2 page) or (directory adj2 assistance)) and @ad<19991209) not (709/206.ccls. and ((locator adj2 service) or whitepages or (directory adj2 assistance)) and @ad<19991209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:08

5/14/04

-	31	(email or "e-mail" or (electronic adj2 mail)) NEAR10 ((electronic adj2 directory adj2 service) or whitepage or (white adj2 page) or "X.500") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:15
-	28	((email or "e-mail" or (electronic adj2 mail)) NEAR10 ((electronic adj2 directory adj2 service) or whitepage or (white adj2 page) or "X.500") and @ad<19991209) not (709/206.ccls. and ((locator adj2 service) or (white adj2 page) or (directory adj2 assistance)) and @ad<19991209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:10
-	0	(undeliverable or (fatal NEAR3 error) or (user NEAR3 unknown) or bounc\$3) SAME ((electronic adj2 directory adj2 service) or whitepage or (white adj2 page) or "X.500") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:16
-	67	(undeliverable or (fatal NEAR3 error) or (user NEAR3 unknown) or bounc\$3) AND ((electronic adj2 directory adj2 service) or whitepage or (white adj2 page) or "X.500") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:16
-	66	((undeliverable or (fatal NEAR3 error) or (user NEAR3 unknown) or bounc\$3) AND ((electronic adj2 directory adj2 service) or whitepage or (white adj2 page) or "X.500") and @ad<19991209) not ((email or "e-mail" or (electronic adj2 mail)) NEAR10 ((electronic adj2 directory adj2 service) or whitepage or (white adj2 page) or "X.500") and @ad<19991209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 10:17
-	9	(embed\$4 or add\$3 or insert\$3) NEAR8 (query or search or redirect or META) NEAR8 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB	2004/05/06 11:06
-	399	(query or search or redirect or META or "URI") NEAR8 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB	2004/05/06 11:09
-	390	((query or search or redirect or META or "URI") NEAR8 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209) not ((embed\$4 or add\$3 or insert\$3) NEAR8 (query or search or redirect or META) NEAR8 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209)	USPAT; US-PGPUB	2004/05/06 11:09
-	56	((query or search or redirect or META or "URI") NEAR8 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209) not ((embed\$4 or add\$3 or insert\$3) NEAR8 (query or search or redirect or META) NEAR8 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209)) and 709/206.ccls.	USPAT; US-PGPUB	2004/05/06 11:09
-	1	(email or "e-mail" or (electronic adj2 mail)) NEAR8 (whitepage or (white adj2 page) or (directory adj2 assistance) or "LDAP" or "X.500" or (locator NEAR2 service) or lookup or "WhoIS") NEAR8 ("URI" or \$5link) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 11:44
-	4	(email or "e-mail" or (electronic adj2 mail)) SAME (whitepage or (white adj2 page) or (directory adj2 assistance) or "LDAP" or "X.500" or (locator NEAR2 service) or lookup or "WhoIS") NEAR8 ("URI" or link or hyperlink or "URL") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 11:47
-	0	((embed\$4 or insert\$3 or add\$3 or includ\$3) NEAR8 ("URI" or link or hyperlink or "URL") SAME (whitepage or (white adj2 page) or (directory adj2 assistance) or "LDAP" or "X.500" or (locator NEAR2 service) or lookup or "WhoIS") and @ad<19991209) and 709/206,207.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 11:48

-	133	(embed\$4 or insert\$3 or add\$3 or includ\$3) NEAR8 ("URI" or link or hyperlink or "URL") SAME (whitepage or (white adj2 page) or (directory adj2 assistance) or "LDAP" or "X.500" or (locator NEAR2 service) or lookup or "WhoIS") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:24
-	186	((query or search) NEAR8 result) SAME (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 12:29
-	265	(undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message))) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:36
-	70	((undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message))) and @ad<19991209) and ((add\$3 or insert\$3 or embed\$4) NEAR6 (address or link or hyperlink or telephone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 13:59
-	1	(undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message))) SAME ((insert\$3 or embed\$4 or add\$3) NEAR8 (date or time or reason or telephone or code or link or hyperlink)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 14:22
-	80	(undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message))) AND ((insert\$3 or embed\$4 or add\$3) NEAR8 (date or time or reason or telephone or code or link or hyperlink)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 14:19
-	42	((undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message))) AND ((insert\$3 or embed\$4 or add\$3) NEAR8 (date or time or reason or telephone or code or link or hyperlink)) and @ad<19991209) not ((undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message))) and @ad<19991209) and ((add\$3 or insert\$3 or embed\$4) NEAR6 (address or link or hyperlink or telephone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 14:19
-	34	(generat\$3 or creat\$3) NEAR8 (undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message))) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:09
-	12	(add\$3 or insert\$3 or embed\$4) NEAR6 (link or hyperlink) NEAR8 (undeliverable or bounc\$3 or unknown)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:14
-	1	(add\$3 or insert\$3 or embed\$4) NEAR6 (link or hyperlink) NEAR8 ((return\$3 or undeliverable or fatal or bounc\$3) NEAR5 (email or "e-mail" or (electronic adj2 mail)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:15
-	165	(add\$3 or insert\$3 or embed\$4 or append\$3) NEAR6 (link or hyperlink or text or string) SAME ((return\$3 or undeliverable or fatal or bounc\$3) NEAR5 (message or email or "e-mail" or (electronic adj2 mail)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:22

-	39	((add\$3 or insert\$3 or embed\$4 or append\$3) NEAR6 (link or hyperlink or text or string) SAME ((return\$3 or undeliverable or fatal or bounc\$3) NEAR5 (mail or email or "e-mail" or (electronic adj2 mail))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:29
-	121	((add\$3 or insert\$3 or embed\$4 or append\$3) NEAR6 (link or hyperlink or telephone or address) SAME ((return\$3 or undeliverable or fatal or bounc\$3) NEAR5 (mail or email or "e-mail" or (electronic adj2 mail))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:30
-	48	((add\$3 or insert\$3 or embed\$4 or append\$3) NEAR6 (link or hyperlink or telephone or address) SAME ((return\$3 or undeliverable or fatal or bounc\$3) NEAR5 (mail or email or "e-mail" or (electronic adj2 mail)))) and @ad<20000101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:31
-	0	((modify\$3 or alter\$3 or append\$3) NEAR3 (undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message)))) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:36
-	0	((modify\$3 or alter\$3 or append\$3) NEAR10 (undeliverable or fatal or bounc\$3 or (user adj2 unknown)) NEAR4 (message or email or "e-mail" or (electronic adj2 (mail or message)))) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:38
-	1	((modify\$3 or alter\$3 or append\$3) NEAR10 (link or hyperlink or information) NEAR8 ((returned or undeliverable) NEAR5 \$3mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:39
-	11	((modify\$3 or alter\$3 or append\$3 or insert\$3 or add\$3) NEAR10 (link or hyperlink or information) NEAR8 ((returned or undeliverable) NEAR5 \$3mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:42
-	58	((link or hyperlink or information) NEAR8 ((returned or undeliverable) NEAR5 \$3mail) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:42
-	55	((link or hyperlink or information) NEAR8 ((returned or undeliverable) NEAR5 \$3mail) and @ad<19991209) not ((modify\$3 or alter\$3 or append\$3 or insert\$3 or add\$3) NEAR10 (link or hyperlink or information) NEAR8 ((returned or undeliverable) NEAR5 \$3mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:48
-	19	((undeliverable or bounc\$3) NEAR4 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:55
-	124	((returned or fatal or (user adj2 unknown)) NEAR4 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:57
-	23	((returned NEAR4 sender) or fatal or (user adj2 unknown)) NEAR4 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 16:58
-	2	((server NEAR6 (imbed\$4 or embed\$4 or append\$3 or add\$3) NEAR8 (link or hyperlink or "AD" or advertis\$5) NEAR5 (email or "e-mail" or (electronic adj2 mail)))) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 08:03

-	12	(server NEAR6 (imbed\$4 or embed\$4 or append\$3 or add\$3 or insert\$3) NEAR8 (link or hyperlink or "AD" or advertis\$5 or (postal NEAR2 address) or "URL" or "URI" or telephone) NEAR5 (email or "e-mail" or (electronic adj2 mail))) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 08:11
-	116	(imbed\$4 or embed\$4 or append\$3 or add\$3 or insert\$3) NEAR8 (link or hyperlink or "AD" or advertis\$5 or (postal NEAR2 address) or "URL" or "URI" or (telephone adj2 number)) NEAR5 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 08:12
-	108	((imbed\$4 or embed\$4 or append\$3 or add\$3 or insert\$3) NEAR8 (link or hyperlink or "AD" or advertis\$5 or (postal NEAR2 address) or "URL" or "URI" or (telephone adj2 number)) NEAR5 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209) not ((server NEAR6 (imbed\$4 or embed\$4 or append\$3 or add\$3 or insert\$3) NEAR8 (link or hyperlink or "AD" or advertis\$5 or (postal NEAR2 address) or "URL" or "URI" or telephone) NEAR5 (email or "e-mail" or (electronic adj2 mail))) and @ad<19991209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 08:37
-	1	6505236.pn.	USPAT; US-PGPUB	2004/05/07 08:38
-	1	6449657.pn.	USPAT; US-PGPUB	2004/05/07 09:39
-	86	(locat\$3 or obtain\$3 or view\$3) SAME ((personal or contact) NEAR3 information) NEAR6 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:44
-	2	(locat\$3 or obtain\$3 or view\$3) SAME ((personal or contact) NEAR3 information) NEAR7 sender NEAR6 (email or "e-mail" or (electronic adj2 mail)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:42
-	12664	(email or "e-mail" or (electronic adj2 mail) SAME (hyperlink or link or query) NEAR6 (contact NEAR4 database)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:45
-	12664	(email or "e-mail" or (electronic adj2 mail) SAME (hyperlink or link or query) NEAR6 (contact NEAR4 information)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:45
-	1	(email or "e-mail" or (electronic adj2 mail)) SAME (hyperlink or link or query) NEAR6 ((personal or contact) NEAR4 (database)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:46
-	18	(email or "e-mail" or (electronic adj2 mail)) SAME (hyperlink or link or query) NEAR6 ((personal or contact) NEAR4 (directory or service or information or database)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:53
-	239	(link or "URL" or hyperlink) NEAR5 ((contact or personal) NEAR4 (directory or database or information)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:05
-	0	6674993.URPN.	USPAT	2004/05/07 10:02
-	34	(access\$3 or acquir\$3 or obtain\$3) NEAR5 ((contact or personal) NEAR4 (directory or database or information)) NEAR8 (link or hyperlink or "URL") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:09

-	6	(access\$3 or acquir\$3 or obtain\$3) NEAR5 (address adj2 book) NEAR8 (link or hyperlink or "URL") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:10
-	4	(email or "e-mail" or (electronic adj2 mail)) NEAR5 (address adj2 book) NEAR8 (link or hyperlink or "URL") and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:11
-	269	(email or "e-mail" or (electronic adj2 mail)) NEAR5 (link or hyperlink or "URL") NEAR8 (VCARD or signature or address or ((contact or personal) NEAR3 information)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:13
-	20	(email or "e-mail" or (electronic adj2 mail)) NEAR5 (link or hyperlink or "URL") NEAR8 (VCARD or signature or ((contact or personal) NEAR3 information)) and @ad<19991209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:16
-	1	(post\$2 NEAR3 office) NEAR8 (return adj2 sender) and @ad<19991209	USPAT; US-PGPUB	2004/05/07 10:22
-	30	mail NEAR8 (return adj2 sender) and @ad<19991209	USPAT; US-PGPUB	2004/05/07 10:22
-	34	mail NEAR8 (return adj2 sender) and @ad<19991209	USPAT; US-PGPUB	2004/05/07 10:22